

GLIDEVALE LIMITED

2 Brooklands Road Sale, Cheshire, M33 3SS, Tel: 0161 962 7113
Fax:0161 905 2085
Email info@glidevale.com
Website www.glidevale.com

Material Safety Data Sheet

| 1 | Identification of the substance / Preparation | Protect A1 Non-Permeable Roof Underlay |
|---|---|---|
| | Company name | Glidevale Limited |
| | Address | 2 Brooklands Road, Sale, Cheshire, M33 3SS |
| | <u>Telephone</u> | 0161 962 7113 |
| | Fax | 0161 905 2085 |
| 2 | Composition / information on ingredients | The product is from polypropylene membrane, which, in the end user state represents no significant hazard (Refer to specific hazards). |
| 3 | Hazards identification | In it's end user state this product represents the following risks: |
| | | Eye contact: Superficial irritation. |
| | | Skin contact: Nil. |
| | | Ingestion: Nil. |
| | | Inhalation: Nil. |
| 4 | First Aid Measures | Eye contact: Flush out using copious amounts of fresh water. |
| | | Skin contact: Any molten material on the skin must be cooled as quickly as possible using cold water. Cover the wound with a sterile cloth and seek further medical assistance. |
| | | Ingestion: No danger of toxicity, the material is biologically inactive. |
| | | Inhalation: When fumes from molten material have been inhaled: |
| | | - Move person to fresh air as quickly as possible. |
| | | - Rest in half upright position. |
| | | - Loosen clothing. |
| | | - Keep warm. |
| | | - In cases of respiratory problems, move person to first aid station or hospital for medical attention. |
| 5 | Fire Fighting measures | Extinguishing media - Water, water / foam, CO2, ABC powder. |
| | | Specific hazards: |
| | | Membrane Although manufactured from polypropylene and will burn in the presence of an ignition source, the membrane tends to melt and shrink away from a heat source. In fully supported situations the reaction to fire will be determined by the support used. In unsupported applications there is a risk fire can spread if the material is ignited. |
| | | Products of combustion - Quantities of monomers and hydrocarbon fragments are released in addition to carbon dioxide, carbon monoxide and water, aldehydes, ketones and acroleine. Toxicity is negligible when used in a roof situation. |
| 6 | Accidental release measures | Not a hazard in normal use. |
| 7 | Handling and storage | Store in a cool dry place. |



GLIDEVALE LIMITED

2 Brooklands Road Sale, Cheshire, M33 3SS, Tel: 0161 962 7113
Fax:0161 905 2085
Email info@glidevale.com
Website www.glidevale.com

| 8 | Exposure controls / Personal protection | Not a hazard in normal use. No Personal Protective Equipment required. |
|----|--|--|
| 9 | Physical and chemical properties | Appearance: Dark grey upper surface and black absorbent underside. Odour: none, not water-soluble. |
| 10 | Stability and reactivity | Stable under normal conditions. |
| 11 | Toxicological information | Biologically inactive. If in contact with eyes, flush out using copious amounts of fresh water. |
| 12 | Ecological information | This product is intended for use as a roof underlay for use in pitched roof constructions. |
| 13 | Disposal considerations | The disposal of this material, as well as its packaging thereof, presents no danger regarding toxicological and/or ecological considerations. It can be re-used, recycled or burnt in an approved controlled manner or disposed of via landfill. |
| 14 | Transport information | Not Classified. |
| 15 | Regulatory information | Not Classified. |
| 16 | Other information | This product does not require any special training before use. Usage and handling instructions are mentioned on this Material Safety Data Sheet. |

Version: 27.02.07