

# Hand Tools

<b>Tube and Pipe Cutters</b>	<b>42 – 46</b>
<b>Plastic Pipe Shears</b>	<b>47, 48</b>
<b>Pliers</b>	<b>49</b>
<b>Pipe Wrenches</b>	<b>50, 51</b>
<b>Chain Wrenches</b>	<b>51</b>
<b>Deburring and Reaming Tools</b>	<b>52</b>
<b>Basin Wrenches</b>	<b>52</b>
<b>Installation Tools</b>	<b>53</b>

In addition to specialized machines and tools, ROTHENBERGER offers a complete range of high-quality hand tools for plumbing, heating and climate control systems.

Professional clamping, installation, and cutting tools, as well as vices and workbenches for mobile applications, clearly demonstrate the breadth of the ROTHENBERGER product range.



# Tube Cutters

## ROTRAC Tube Cutters

High precision tube cutter for copper tubes

- Features a spare cutter wheel in handle for cutting stainless steel tube, large knurled knob **Easier to turn**

- Improved design provides smooth-running, telescopic action:  
**Consistent working radius, blade advances faster**

- Cast aluminum design:  
**Compact and light**

- Protected screw spindle:  
**Prevents dirt ingress and jamming**

- Foldaway Reamer



70020  
**ROTRAC 28 PLUS**  
Includes 3 copper wheels for stainless steel, pin and clip



70021  
**ROTRAC 42 PLUS**  
Includes 3 copper wheels for stainless steel, pin and clip

Description	O.D.	lb	No.
ROTRAC 28	1/8" - 1-1/8"	1.0	<b>70010</b>
ROTRAC 42	1/4" - 1-5/8"	1.0	<b>70011</b>
Cutter Wheel, 2 pk.		0.1	<b>70007B</b>
Cutter Wheel, 10 pk.		0.1	<b>70007X</b>
ROTRAC 28 PLUS	1/8" - 1-1/8"	1.0	<b>70020</b>
ROTRAC 42 PLUS	1/4" - 1-5/8"	1.0	<b>70021</b>
ROTRAC 20PL for plastic pipe	1/8" - 3/4"	1.0	<b>70012</b>
ROTRAC 32PL for plastic pipe	3/16" - 1-1/4"	1.0	<b>70013</b>
ROTRAC 42 for flexible gas pipe	1/4" - 1-5/8"	1.0	<b>70018</b>
Replacement pin, clip		0.3	<b>99016</b>
Cutter Wheel, stainless steel		0.1	<b>90007</b>

## Tube Cutter Replacement Wheels

High precision tube cutter for copper tubes

ROTHENBERGER Cutter Wheel Part No.	Fits Cutters from	
	RIDGID®*	Lenox®
<b>70007B, 2 pack</b> <i>Fits Rothenberger cutters 70010, 70011, 70020, 70021</i>	101, 118, 150, 151, 152, 153, 205 <i>replaces #33185</i>	
<b>70017B, 2 pack</b> <i>Fits Rothenberger cutters 70401, 70402, 70105, 70019, 70065, 70027, 70030</i>	10, 15, 20 <i>replaces #33160</i>	21010, 21011, 21012, 21013 <i>replaces #21192, 21017</i>

\*Ridgid® is a registered trademark of Ridge Tool Co.

# Tube Cutters

- Large knurled knob, handy design:  
**Fatigue-free pressure control**
- Two guide rollers with recess:  
**Cuts close to flares**
- Handy design with very small working radius  
**Ideal for hard to reach places**



## MINICUT I PRO / MINICUT II PRO

Tube cutter for copper tubes



Description	O.D.	lb	No.
MINICUT I PRO	1/8" - 5/8"	0.2	<b>70401</b>
MINICUT II PRO	1/4" - 7/8"	0.3	<b>70402</b>
Cutter wheel, 2 pk.		0.1	<b>70017B</b>
Cutter wheel, 5 pk.		0.6	<b>70017D</b>
Axle, screw		0.1	<b>70041</b>

- Large knurled knob, handy design:  
**Fatigue-free pressure control**
- Two guide rollers with recess:  
**Cuts close to flares**
- Handy design with small working radius of 1-3/4" (45 mm):  
**Ideal for hard to reach places**



## MINICUT 2000

Tube cutter for copper tubes

Ergonomic design of body and knob with seating surface for the hand during turning



Description	O.D.	lb	No.
MINICUT 2000	1/8" - 7/8"	0.4	<b>70105</b>
Cutter wheel, 2 pk.		0.1	<b>70017B</b>
Cutter wheel, 5 pk.		0.6	<b>70017D</b>
Axle, screw		0.1	<b>70041</b>

- Large knurled knob, handy design:  
**Fatigue-free pressure control**
- Two guide rollers with recess:  
**Cuts close to flares**
- Handy design with small working radius of 1-3/4":  
**Ideal for hard to reach places**



## MINI MAX

Tube cutter for copper tubes

Ergonomic design of body and knob with seating surface for the hand during turning



Description	O.D.	lb	No.
MINI MAX	1/8" - 1-1/8"	0.8	<b>70015</b>
Cutter wheel, 2 pk.		0.1	<b>70017B</b>
Cutter wheel, 5 pk.		0.6	<b>70017D</b>
Axle, screw		0.1	<b>70041</b>

- Retractable internal deburrer and spare cutter wheel in handle:  
**Always within reach**
- Two guide rollers with recess:  
**For cuts close to flares**



## TUBE CUTTER 30/50

Tube cutter for copper tubes



Description	O.D.	lb	No.
TUBE CUTTER 30	1/8" - 1-1/8"	0.7	<b>71019</b>
TUBE CUTTER 50	1/2" - 2"	0.8	<b>70065</b>
Cutter wheel, 2 pk.		0.1	<b>70017B</b>
Cutter wheel, 5 pk.		0.6	<b>70017D</b>
Cutter wheel, Stainless Steel, 5 pk.		0.6	<b>70056D</b>
Axle, screw		0.1	<b>70041</b>

# Tube Cutters

## Automatic Tube Cutter

### Ratchet telescopic cutter

Description	O.D.	lb	No.
Automatic size 1	1/8" - 2-5/8"	2.0	<b>70030</b>
Spare cutter wheel size 1, 2 pk.		0.1	<b>70017B</b>
Cutter wheel, size 1, 5 pk.		0.3	<b>70017D</b>
Automatic size 2	2" - 5"	3.5	<b>70142</b>
Automatic size 3	4" - 6-5/8"	4.0	<b>70143</b>
Cutter wheel sizes 2/3, 2 pk.		0.1	<b>70057D</b>
Deburring blade sizes 1/2/3, 10 pk.		0.3	<b>21652B</b>
Axle and screw		0.1	<b>70149</b>

For copper, brass, aluminum, thin-walled steel, and plastic coated tubes

- Ratchet telescopic guide with automatic spring-driven withdrawal:  
**Quick adjustment, fast opening**
- Retractable internal deburring tool and spare cutter wheel in handle:  
**Always within reach**



## Automatic PL Plastic Tube Cutter

### Ratchet telescopic cutter for plastic pipe

Description	O.D.	lb	No.
Automatic PL size 1	1/8" - 2-5/8"	2.0	<b>70031</b>
Cutter wheel, size 1, 3 pk.		0.1	<b>70028D</b>
Automatic PL size 2	2" - 5"	3.5	<b>70032</b>
Cutter wheel, size 2, 3 pk.		0.1	<b>55054D</b>
Axle and screw		0.1	<b>70149</b>



70031

4


## PIPESLICE

### Tube Cutter

Cutting copper tubing has never been easier! Simply snap the cutter onto the tube and turn.

Description	Nominal dia.	O.D.	lb	No.
PIPESLICE 1	3/8"	1/2"	0.6	<b>88807</b>
PIPESLICE 2	1/2"	5/8"	0.6	<b>88810</b>
PIPESLICE 3	5/8"	3/4"	0.6	<b>88808</b>
PIPESLICE 4	3/4"	7/8"	0.6	<b>88802</b>
PIPESLICE 5	1"	1-1/8"	1.0	<b>88814</b>
Cutter wheel for 1/2/3			0.1	<b>88806</b>
Cutter wheel for 4/5			0.1	<b>88803</b>

- Cut tubes with less turns:  
**Quick cutting of copper tubes**
- Self-alignment:  
**No re-adjustment necessary**
- Less space required:  
**Ideal for hard to reach places**
- Cast aluminum casing



## 35 PRO / 42 PRO TUBE CUTTER

Cuts tubes made of:

- copper, brass, aluminum, thin-walled steel
- PE, PP, PVDF, plastic-coated tubes
- stainless steel

• Two guide rollers with recess:  
**For cuts near flares**



• Constant, tight working radius of 4-7/8" (123 mm)  
**Perfect for confined spaces**

• Exact telescopic guide:  
**Precise cut**

• Easy to turn adjustment knob:  
**Quick adjusting of the working area**



• Spare cutter wheel (70027) in handle:  
**Immediately available when needed**



• Retractable internal tube deburrer:  
**Always within reach**

• Metal casing with DURAMANT® coating:  
**Strong and extremely stable**

### For Copper, Aluminum

Description	O.D.	lb	No.
35 PRO	1/4" - 1-3/8"	1.0	<b>70027</b>
42 PRO	1/4" - 1-5/8"	1.2	<b>70029</b>
Cutter wheel, 2 pk		0.3	<b>70017B</b>
Cutter Wheel, 5 pk.		0.3	<b>70017D</b>



35 PRO (70027)  
42 PRO (70029)




### For Multi-layer Piping

Description	O.D.	lb	No.
42 PRO MSR	1/4" - 1-5/8"	1.2	<b>70109</b>
Cutter wheel, 1 pk		0.1	<b>70188</b>



42 PRO MSR (70109)



Constant swing radius of 4.8"

### For Stainless Steel

Description	O.D.	lb	No.
35 PRO SS	1/4" - 1-3/8"	1.1	<b>70055</b>
42 PRO SS	1/4" - 1-5/8"	1.2	<b>70070</b>
Cutter wheel, SS		0.1	<b>70056</b>
Cutter Wheel, Stainless Steel, 5 pk.		0.3	<b>70056D</b>



35 PRO SS (70055)  
42 PRO SS (70070)

### Replacement Parts

Description	O.D.	lb	No.
Deburring Blades, 10 pk.		0.3	<b>21652B</b>
Deburring Blades, 1 pk.		0.1	<b>21652</b>
Axle and screw		0.1	<b>70041</b>


# Pipe Cutters

## 1-1/4" and 2" Steel Pipe Cutter

- Wide rollers:  
**Secure guiding of cutter wheel on tube**

Description	O.D.	lb	No.
1-1/4" Pipe Cutter	1/8" - 1-1/4"	2.5	<b>70040</b>
Cutter wheel, 1-1/4", 3 pk.		0.5	<b>70046D</b>
2" Pipe Cutter	1/8" - 2"	5.5	<b>70045</b>
Cutter wheel, 2", 3 pk.		0.5	<b>70051D</b>
Cutter wheel for cast iron, 2"		0.3	<b>70054</b>
2" Pipe Cutter for Plastic Coated Pipe	1/8" - 2"	5.5	<b>P70045C</b>

- Easy pressure control:  
**Optimum force transmission onto tube**
- Hardened cutter wheel made of high alloy steel:  
**Long service life**
- Burr-free external cutting:  
**Immediate thread cutting possible**
- Optional cutter wheel for cast iron pipes
- 1/8" - 2" Pipe Cutter for Plastic Coated Pipe



## 4" Steel Pipe Cutter

- Wide rollers:  
**Secure guiding of cutter wheel on tube**
- Easy pressure control:  
**Optimum force transmission onto tube**

Description	O.D.	lb	No.
4" Pipe Cutter	2" - 4"	17.0	<b>70060</b>
Cutter wheel, 4", 2 pk.		0.5	<b>70061D</b>
4" Pipe Cutter for Plastic Coated Pipe			<b>P70060C</b>

- Hardened cutter wheel made of high alloy steel:  
**Long service life**
- Burr-free external cutting:  
**Immediate thread cutting possible**
- Optional cutter wheel for cast iron pipes



## Stainless Steel Pipe Cutters

For exact cutting of stainless steel tubes



Description	O.D.	lb	No.
1-1/4" Stainless Steel Pipe Cutter	1/8" - 1-1/4"	2.4	<b>70086</b>
Cutter wheel, 1-1/4"		0.1	<b>70088</b>
2" Stainless Steel Pipe Cutter	1/4" - 2"	4.8	<b>70087</b>
Cutter wheel, 2"		0.1	<b>70089</b>

- Hardened cutter wheel made of high alloy steel:  
**Long service life**
- Burr-free external cutting:  
**Immediate thread cutting possible**



## Chain Tube Cutter

Description	O.D.	lb	No.
MULTICUT 65	1" - 2"	1.3	<b>70285</b>
Cutter wheel chain		0.4	<b>70286</b>

For copper, brass, aluminum, thin-walled steel tubes, and plastic coated tubes.

- Stable chain with 15 mini cutter wheels, two-step adjustment:  
**Ideal for working in confined spaces such as parallel-running tubes**
- Chrome-plated with PVC handles



# Plastic pipe shears

## ROCUT® Professional

For precise cutting of PVC, PP, PE, PEX, PB, and CPVC pipes.  
Rugged precision shears for effortless cutting of plastic pipes.



- Double-sided blade and ratchet support:  
Precise force transfer and precise guided cutter feed

- Stainless steel blade with V-edge:  
Pin-point precision without deformation



- Wide pipe support:  
Precise, right-angled cut

- Ideally meshed cutting curve:  
Minimum effort during cutting



- Rubber handle:  
Secure grip



- Releasing lever:  
Automatic, controlled opening of the blade at the push of a button

- Lockable lever:  
Shear arms lockable in transport position



52000

## ROCUT® Professional 42TC

Description	Max. Sch. 40 PVC	Max. O.D.	lb	No.
ROCUT® 42TC	1-1/4"	1-5/8"	1.0	<b>52000</b>
Blade, replacement			0.3	<b>52042</b>
Axle and nut, replacement			0.1	<b>80205</b>
Spring, replacement			0.3	<b>5680204</b>



## ROCUT® Professional 50TC

Description	Max. Sch. 40 PVC	Max. O.D.	lb	No.
ROCUT® 50TC	1-1/2"	2"	1.4	<b>52010</b>
Spare stainless steel blade			0.4	<b>52011</b>
Axle and nut, replacement			0.1	<b>80205</b>
Spring, replacement			0.3	<b>5685004</b>



**new**

## ROCUT® Professional 63TC

- Teflon coated blade

Description	Max. Sch. 40 PVC	Max. O.D.	lb	No.
ROCUT® 63TC	2"	2-1/2"	1.4	<b>52030</b>
Spare stainless steel blade			0.4	<b>52031</b>
Axle and nut, replacement			0.1	<b>80205</b>
Spring, replacement			0.3	<b>5685004</b>



## ROCUT® Professional 75TC

Description	Max. Sch. 40 PVC	Max. O.D.	lb	No.
ROCUT® 75TC	2-1/2"	3"	3.6	<b>52015</b>
Spare stainless steel blade			0.5	<b>52016</b>
Spring, replacement			0.3	<b>5687504</b>

# Plastic Pipe Shears



**new**



Check out this product on YouTube! under ROTHENBERGER Plasticuts



See our other PEX Tools on page 20!

## PLASTICUT PEX & CPVC CUTTER

Pipe cutter ideal for use in confined spaces. No force required to operate. Lightweight and simple to use. Cuts PEX and CPVC 1/2" to 1".

Description	Max. O.D.	lb	No.
PLASTICUT, 1/2"	1/2"	0.1	<b>59060</b>
PLASTICUT, 3/4"	3/4"	0.1	<b>59070</b>
PLASTICUT, 1"	1"	0.1	<b>59080</b>
Replacement Blade, 1/2", 3/4", 3 pk.		0.1	<b>59000</b>
Replacement Blade, 1", 3 pk.		0.1	<b>59001</b>

4



## ROCUT® 32TC PEX Cutter

New light and sturdy cutter for PE, PEX, PP, CPVC, and multi-layer pipe. Blade is flat to "turn and cut."

Description	Max. O.D.	lb	No.
ROCUT 32TC	1-1/4"	1.6	<b>52040</b>
Replacement Blade			<b>52041</b>



## ROCUT® 26TC PEX Cutter

New direct cut action shear with a stainless steel blade for fast and accurate cuts on PE, PEX, PP, and CPVC plastic pipe.

Description	Max. O.D.	lb	No.
ROCUT 26TC	1"	0.8	<b>52005</b>



## Direct Cut PEX Shear

New direct cut action shear with a stainless steel blade for fast and accurate cuts on PE, PEX, PP, and CPVC plastic pipe.

Description	Max. O.D.	lb	No.
Direct Cut Shear	1-3/8"	4.5	<b>55089</b>



## Economy Plastic Pipe Shears

Standard action cutters provide a fast, clean cut on most types of plastic pipes.

Description	Max. Sch 40 PVC	Max. O.D.	lb	No.
ROCUT® 32	1"	1-1/8"	1.2	<b>55090E</b>
ROCUT® 42	1-1/4"	1-5/8"	1.6	<b>55091E</b>
ROCUT® 63	2"	2-3/8"	3.5	<b>55095E</b>
Replacement Blade for ROCUT 32			0.5	<b>50032</b>
Replacement Blade for ROCUT 42			0.8	<b>50042</b>
Replacement Blade for ROCUT 63			1.5	<b>50063</b>



## ROGRIP®

### Self-adjusting multi-purpose pliers

Optimal for use on various forms of material. With a perfect grip and improved leverage, the ROGRIP offers many advantages over conventional pliers. Made of drop forged chrome vanadium steel.

- Double hardened teeth:  
**Firm grip on any surface, even under the toughest conditions**

- Automatic fit on various forms of material up to 1-5/8" (42 mm) dia.  
**One handed operation, even for larger tube diameters**



- Twice-hardened:  
**Long service life**

- Ergonomically shaped cushioned handles:  
**Strong grip, anti-slip**

- Finger guard prevents pinching of fingers  
**Increased job safety**



- High quality DURAMANT® surface coating:  
**Wear-resistant surface protection**

- Improved leverage compared to conventional pliers:  
**Optimum force transmission**

Description	L	Max. O.D.	lb	No.
ROGRIP®	10"	1-5/8"	1.0	70558

Grips hexagonal shapes



Grips pipes



Grips sheets



Grips fittings



## ROLOCK®

The new ROLOCK® Pliers, a professional-grade water pump pliers with jaw locking system, provide a secure grip on round, square or hex-shaped items with the push of a button.

- Multi-purpose jaws grip round, flat, square or hex items

- 14 groove opening positions:  
**Opening capacity of 2-1/3"**

- Patented enclosed, adjusting lock system provides fast selection of the opening size with the touch of a button

- Non-slip, rubber handle grips:  
**Secure, anti-slip**



- Durable, double-hardened, chrome vanadium steel with black oxide finish:  
**Resists corrosion**



Description	L	lb	No.
ROLOCK®	7"	0.5	70531
ROLOCK®	10"	0.8	70532
ROLOCK®	12"	1.0	70533

## Water Pump Pliers

- Strong jaws:  
**Won't slip, even on smooth surfaces**

- Asymmetrical gripping surfaces, rhombus-shaped:  
**Optimum grip**

- Induction hardened teeth with high wear resistance:  
**Long service life**

- Adjustable for 7 sizes, stable, tough:  
**Variable use**

- Ergonomically shaped anti-slip, plastic covered legs:  
**Firmer grip**



- Longer, thinner pliers with measurements for corners:  
**Ideal for hard to reach places**

- Crush and clamp guard:  
**Protects fingers**

L	Max. O.D.	lb	No.
7"	1"	0.5	70521
10"	1-1/4"	0.8	70522
12"	1-1/2"	0.1	70523

Complies with DIN 5231 D, with heavy duty box joint, chrome vanadium steel, drop forged, tempered, polished head and joint

# Pipe Wrenches

## Adjustable Wrench

Chrome vanadium steel, drop forged, chrome-plated and polished

- Smooth-running, robust roller with minimum play in the sliding guides



L	lb	No.
6"	0.5	70441
8"	0.8	70442
10"	1.0	70443
12"	1.5	70444
15"	2.5	70445

## HEAVY DUTY Pipe Wrench



L	Max. O.D.	lb	No.
8"	1"	1.0	70150
10"	1-1/2"	2.0	70151
12"	2"	3.5	70152
14"	2"	4.5	70153
18"	2-1/2"	6.5	70154
24"	3"	10.5	70155
36"	5"	20.0	70156
48"	6"	37.0	70157

Monoblock cast body with high strength, double T profile, forged jaw and hook, fine-polished teeth set against turning direction, induction hardened, tempered, and anti-slip adjustment screw.

Complies with US standard GGG-W-651 Type I Class A

- Spring-supported hook:

**One-handed ratchet-like use**

- Quick preset of tube diameter using scale on hook

## ALUMINUM Pipe Wrench



L	Max. O.D.	lb	No.
10"	1-1/2"	2.0	70159
14"	2"	3.0	70160
18"	2-1/2"	4.0	70161
24"	3"	6.0	70162
36"	5"	11.5	70163
48"	6"	20.0	70164

Features similar to HEAVY DUTY

Complies with US standard GGG-W-651 Type I Class B

- Extremely light aluminum alloy with high strength:

**Approx. 40% lighter**

- ALUMINUM Pipe Wrench for PVC Coated Conduit has specially designed jaws for gripping coated pipe

**Protects plastic coating**

ALUMINUM Pipe Wrench for PVC Coated Conduit			
10"	1-1/2"	2.0	P70159C
14"	2"	3.0	P70160C
18"	2-1/2"	4.0	P70161C
24"	3"	6.0	P70162C

## Pipe Wrench Parts

Wrench Size	Set of Springs	Nut	Heel Jaw and Pin	Hook Jaw
8"	70170	70180	70190	70200
10"	70171	70181	70191	70201
12"	70172	70182	70192	70202
14"	70173	70183	70193	70203
18"	70174	70184	70194	70204
24"	70175	70185	70195	70205
36"	70176	70186	70196	70206
48"	70177	70187	70197	70207

ROTHENBERGER pipe wrench parts are interchangeable with Ridgid®\* and other industry pipe wrenches.

\*Ridgid® is a registered trademark of Ridge Tool Co.

# Pipe Wrenches / Chain Wrenches

## HEAVY DUTY End Pipe Wrench



Features similar to HEAVY DUTY  
Complies with US standard GGG-W-651 Type IV

- Offset wrench head:  
**Ideal for work in confined spaces or close to walls**



L	Max. O.D.	lb	No.
10"	1-1/2"	1.7	<b>70166</b>
14"	2"	3.2	<b>70167</b>

## ALUMINUM Offset Pipe Wrench



Features similar to HEAVY DUTY  
Complies with US standard GGG-W-651 Type I Class B

- Extremely light aluminum alloy with high strength:  
**Approx. 40% lighter**
- Offset wrench head:  
**Ideal for work in confined spaces or close to walls**



L	Max. O.D.	lb	No.
14"	2"	3.0	<b>70115</b>
18"	2-1/2"	4.0	<b>70116</b>

## Chain Pipe Wrench 4"



Profile handle made of drop forged, chrome vanadium steel, polished head and powerful chain made of tempered special steel

- With a double-sided teeth surface set against the turning direction:  
**Works in both directions without re-inserting**



L	Max. O.D.	lb	No.
12"	4"	2.0	<b>70235</b>

## HEAVY DUTY Chain Pipe Wrench



Very tough design for the most demanding applications, tried and tested in pipeline construction. Forged jaws and handle; replaceable jaws.

- Strong chain made of tempered special steel:  
**Fits every cross-section**
- Double-sided tooth system for ratchet-like use:  
**For right and left-handed motion**



L	Max. O.D.	lb	No.
27"	2-1/2"	6.0	<b>70243</b>
37"	4"	12.0	<b>70244</b>
44"	6"	25.0	<b>70245</b>
50"	8"	33.0	<b>70246</b>
63"	12"	62.0	<b>70247</b>


# Deburring and Reaming Tools / Basin Wrenches

## Universal Internal/External Deburring Tools



### Quick and easy deburring

For copper, steel and stainless steel, with polished cutting bit made of hardened special steel



Description	O.D.	lb	No.
Heavy Duty, for copper and stainless steel	3/8" - 2"	0.4	<b>70075</b>
Heavy Duty, for copper and stainless steel	1/8" - 1-3/8"	0.3	<b>11006X</b>
For copper and plastic	1/8" - 1-5/8"	0.3	<b>11006</b>

## Ratchet Pipe Reamer 1/4 - 2"

### Rapid and clean deburring

For steel tubes, with smooth-running ratchet, cutting bit made of tempered steel



Description	O.D.	lb	No.
Ratchet internal reamer blade	1/4" - 2"	5.9	<b>70289</b>
Spare reamer blade		0.5	<b>70296</b>

## Deburring Tools

For fast deburring of edges, tubes and sheets; replaceable blades



Description	lb	No.
Deburring tool with HSS deburring blade	0.1	<b>21660</b>
<i>Note: Blade not replaceable</i>		
Deburring tool with deburring blade no. 1	0.2	<b>21655</b>
HSS deburring blade no. 1 universal, 1 pk.	0.3	<b>21652</b>
HSS deburring blade no. 1 universal, 10 pk.	2.8	<b>21652B</b>

HSS = High Speed Steel

## Telescopic Basin Nut Wrench

Chrome-plated, with pivoted reversible jaw

- Telescopic action:
- 4 length adjustments**



Description	lb	No.
Telescopic Basin Wrench, 3/8" - 1-1/4"	2.0	<b>70225</b>
Telescopic Basin Wrench, 1-1/4" - 2-1/2"	3.0	<b>70226</b>

## Standard Basin Nut Wrench

Chrome-plated, with pivoted reversible jaw



Description	lb	No.
Basin Nut Wrench, 3/8" - 1-1/4"	2.0	<b>70236</b>



## Strap and Fittings Wrench

Made of special aluminum alloy, with replaceable nylon strap.

- Safe to use on chrome-plated fittings:  
**No damage to polished surfaces**

Max. O.D.	inch	lb	No.
3"	12"	1.0	<b>70240</b>
8"	12"	1.3	<b>70241</b>



## SANIGRIP PL Plier

Special chrome vanadium steel, drop forged, chrome-plated, 4 adjustable sizes at joint. With teathed grip jaws, SANIGRIP PL features plastic jaws to protect fittings.

- Ideal for plastic screw joints up to dia. 2-3/8" (62 mm):  
**Optimum grip**

- Secure and gentle grip on precious fittings:  
**No damage to polished surfaces**

Description	inch	Max. O.D.	lb	No.
SANIGRIP PL	10"	2-3/8"	0.6	<b>70416</b>
Spare plastic jaws (pair)			0.1	<b>70417</b>

## Plumber's 7-piece Repair Kit

All the tools you need for a typical repair job in a sturdy carrying case. Thread, grip and cut 1/2" through 1" pipe.

*Kit includes:* heavy duty tool bag (**40231**), ROTRAC 42 Plus (**70021**), 18" aluminum pipe wrench (**70161**), ROCUT 50TC shear (**52010**), ROFIRE swivel torch (**35016**), 10" plumber's pliers (**70522**), basin wrench (**70225**)



Description	lb	No.
Plumber's 7-piece Repair Kit	17.8	<b>70615</b>
Tool Bag	4.0	<b>40231</b>

# Notes

A large grid of graph paper for taking notes, consisting of approximately 30 columns and 50 rows of small squares.