

# Paving & Walling Guide



### **Trust Tobermore**

We are continually investing in our products and services and have brought together leading technology and a unique package of customer service benefits in Ef-Stop, PrimeTop and ServiceSure.

### Ef-Stop

Every aspect of our product's performance is researched and optimised to provide an excellent long-lasting appearance. In respect to the challenge of efflorescence, we have invested in manufacturing technology which enables us to produce virtually efflorescence-free paving.



### PrimeTop

PrimeTop is the high performance feature which differentiates Tobermore from standard concrete paving. Tobermore's PrimeTop is manufactured with a premium, hard-wearing surface layer which adds significant performance benefits.



### ServiceSure

ServiceSure is Tobermore's unique package of customer service benefits developed to ensure an efficient, consistent and streamlined experience. This unbeatable, seamless service follows your project from initial enquiry to delivery and beyond, keeping you fully informed at every stage.



### Paving Visualise

Are you in need of inspiration to get your garden project underway? Bring your project to life by visualising your paving choice at your property. Simply send us a picture of your driveway or patio area and provide a description of your preferred Tobermore products and style. You will then receive a computer generated image of your paving choice at your home within 10 days. To book this service visit the Paving Visualise page on our website and complete the form.



# Approved Paving Contractor

Once you've found the perfect Tobermore products for your home, you'll want to make sure they are installed by the very best paving contractors for that unbeatable finish. We go to great effort to create our list of approved paving contractors, ensuring only the best make the grade. For information on how to choose a paving contractor visit.

tobermore.co.uk/homeowner/find-paving-contractor



### 25 Year Guarantee

We guarantee the structural integrity of our paving blocks, when supplied for private use for a domestic project in a lightly trafficked area, for 25 years from the date of purchase. During this period, we will replace any paving blocks which fail to meet this guarantee, provided that they were suitable for use in relation to the relevant project and, if installed, were installed properly.\*

\*This guarantee is non-transferable, except upon any change of ownership of the premises, and does not cover installation defects or replacement works. It does not confer any rights other than those expressly stated and does not cover any claims for consequential loss or damage. This guarantee is offered as an extra benefit and does not affect your statutory rights as a consumer.





### Tobermore

Sefore You Start	
andscape Design Packages	
lydroPave	
asyClean	
Block Paving	-
egula	10
egula Setts & Circles	1
hannon	1
ienna	1
ienna Setts & Circles	1
artro	1
edesta e	1
letro	20
Manhattan	2
aving Flags	2
raemar Flags	2
Nayfair Flags	2
listoric Flags & Circles	2
leaufort Flags	2
extured Flags	2
ensington Flags	30
inglesey Flags	3
liven Flags	3
tandard Flags	3
acing Brick & Walling	3
ansdowne	3
ingston	3
Country Stone	3
Garden Stone	3
Secura Lite	40
inishing Touches	4
Zerbstone Zerbstone	4
erbsett	4
erb Small	4
erb Large	4
egula Kerb Large	4
Country Kerb & Edging	4
erb Specials	4
tep Risers & Steps & Ramps	4
ccessories	4
nstructions & Warnings	50

### **Landscape Design Packages**

TOP TIP

Use Paving Creator a free, quick and easy interactive virtual paving tool to help you create your own paving design available on our website.



FREE 30 minute consultation with qualified landscape designer at a paving centre in Northern Ireland or Republic of Ireland. You will receive a landscape sketch of your project to bring your ideas to life.

For more information visit: tobermore.co.uk/homeowner



\*This service can be provided virtually.


Overhaul your entire outdoor space with a 2 hour consultation with a qualified landscape designer. Design your patio, driveway and get expert advice on how to make the most of your outside space by booking the Gold design package. You will receive a 2D computer generated plan of your entire project.

For more information visit: tobermore.co.uk/homeowner











\*This service can be provided virtually.

Make your dream outside space a reality and book a 90 minute consultation with a qualified landscape designer today. Receive a 2D computer generated plan of your landscape project for one area (Driveway or Patio).

For more information visit: tobermore.co.uk/homeowner



\*This service can be provided virtually.

Experience our premium landscape design service with a 2 hour consultation with a qualified landscape designer and receive a 2D computer generated plan, a 3D visualisation and product portfolio. Book our Diamond service today and turn your landscaping dream into a reality.

For more information visit: tobermore.co.uk/homeowner










# HydroPave

The solution to flooding problems is the use of more sustainable methods of storm water drainage.

HydroPave permeable paving combines the aesthetics of the Tobermore range and the environmental benefits of a permeable paving system that reduces the risk of flooding and pollution. HydroPave paving is available in the Tegula, Shannon, Sienna and Pedesta ranges.



The key components of an effective infiltration system are:

- 1. Jointing grit
- 2. Paving blocks3. Bedding layer
- 4. Sub-base



# EasyClean

### EasyClean is a new concept for the modern home that takes the work out of caring for paving.

EasyClean flags are treated with stain resistant technology during the manufacturing process allowing for built in protection. The stain resistant technology prevents spills from penetrating the surface of the flag, allowing for them to be wiped away with ease.

### Water resistant core & surface

The secret of Tobermore's stain resistant technology lies not only in the surface protection, but in the core of each slab which is manufactured to be inherently water resistant.



Repels liquids




Resists staining



Simply wipes clean





## **Driveways**

## Because first impressions count



Vintage appearance paving. See page 10.



Shannon

Smooth surface paving. See page 14.



Sienna Setts & Circles

Stunning design feature. See page 17.



Colourful, versatile paving. See page 19.



Attractive plank-style paving with a modern look. See page 21.



### Tegula Setts & Circles

Timeless elegance set in stone. See page 12.



Modern paving made with sparkling granite aggregates. See page 16.



Linear versatile paving. See page 18.



European-style block paving with character and charm. See page 20.











# Tegula






A. Tegula Trio Heather & Kerbsett Heather B. Tegula Trio Bracken

Product	Size (mm)	Colours Available         In Stock         m² per pack         m² per slice         No. per m² pack         No. per pack           Bracken, Cedar, Charcoal, Heather, Slate         YES         15.43         2.2         40.82         630           Bracken, Cedar, Charcoal, Heather, Slate         YES         15.87         1.76         51         810           Bracken, Brindle, Cedar, Charcoal, Golden, Heather, Slate         YES         13.05         1.05         33.3         174 174 87           Bracken, Cedar, Charcoal, Heather, Natural, Slate         YES         12.95         2.16         27.79         360           Bracken, Cedar, Charcoal, Heather, Natural, Slate         YES         12.56         1.79         33.41         420			Manuf. on pallet			
	175 x 140 x 50	Bracken, Cedar, Charcoal, Heather, Slate	YES	15.43	2.2	40.82	630	NO
Tegula 50mm	140 x 140 x 50	Bracken, Cedar, Charcoal, Heather, Slate	YES	15.87	1.76	51	810	NO
TEGULA TRIO 50mm Void pack (All three sizes in one pack)	197×173×50 173×173×50 130×173×50		YES	13.05	1.05	33.3	174	NO
	208 x 173 x 60		YES	12.95	2.16	27.79	360	NO
Tegula 60mm	173×173×60		YES	12.56	1.79	33.41	420	NO
Tegula Trio 60mm (All three sizes in one pack)	208 x 173 x 60 173 x 173 x 60 138 x 173 x 60	Bracken, Cedar, Charcoal, Heather, Slate	YES	10.5	1.05	33.3	120 110 120	YES
Hydropave Tegula Duo (Both sizes in one pack)	208 x 173 x 60 173 x 173 x 60	Bracken, Cedar, Charcoal, Heather, Slate	YES	12.87	0.99	30	195 195	NO

 $\textbf{Sizes:} \ \textbf{Other sizes available on request } \textbf{Instructions \& Warnings:} \ \textbf{See page 50}.$ 







Bracken

Brindle





Golden

Heather





Cedar

Charcoal





Natural

Slate

The tumbled effect of Tegula gives an antique appearance, similar to weathered stone. Use contrasting colours to create boundaries.



Hydropave is a permeable paving system that reduces the risk of flooding and pollution. Available in the Tegula range.


# Tegula Setts & Circles





TOP TIP

Use Tegula Setts to create beautiful borders.



- A. Tegula & Tegula Setts Slate
   B. Tegula Setts Heather and Mayfair
   Flags Sandstone
- C. Tegula Setts & Circle Heather with Step Risers Heather



Product	Size (mm)	Colours Available	In Stock	m² per pack	m² per slice	No. per m²	No. per pack	Manuf. on pallet
	Various x 50	Bracken, Charcoal, Golden, Heather, Natural	YES	8.5	0.85	117	995	NO
Tegula Setts	100 x 100 x 50	Bracken, Charcoal, Golden, Heather	YES	11.52	0.96	100	1152	LID
	Various x 60	Bracken, Charcoal, Golden, Heather, Natural	YES	6.8	0.85	117	796	NO
Tegula Circle (Sold as one unit)	50x1.5m diameter	Bracken, Charcoal, Golden, Heather, Natural	YES	-	1.76 per circle	-	1 unit	LID

 $\textbf{Sizes:} \ \textbf{Other sizes available on request } \textbf{Instructions \& Warnings:} \ \textbf{See page 50}.$ 





Bracken Circle





Charcoal Setts

Charcoal Circle





Golden Setts

Golden Circle





Heather Setts


Heather Circle





Natural Setts

Natural Circle





### Shannon







Bracken

Heath





Natural

Brindle





Slate

Charcoa



Hydropave is a permeable paving system that reduces the risk of flooding and pollution. Available in the Shannon range.

**A.** Shannon Slate, Sienna Setts Silver & Kerbstone Charcoal **B.** Shannon Heather, Tegula Setts Golden & Kerbsett Heather



Sizes: Other sizes available on request Instructions & Warnings: See page 50.



The smooth surface of Shannon will bring a contemporary look to your patio & is ideal for bikes & wheeled toys.

Low

maintenance
Due to Shannon's

### Sienna



### Sienna Setts & Circles





sierina Duo Silver





Graph



Note: Light coloured blocks emphasise tyre marks and oil spills on the driveway. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.

Sandstone



Hydropave is a permeable paving system that reduces the risk of flooding and pollution. Available in the Sienna range.

The sparkling granite aggregate surface layer of Sienna produces an effect that is strikingly similar to natural granite.

Product	Size (mm)	Colours Available	In stock	m²per pack	m² per slice	No. per m²	No. per pack	Manuf. on pallet
Sienna 50mm	208×173×50	Graphite, Sandstone, Silver	YES	14.04	2.34	27.79	390	NO
Sienna Duo 50mm (Both sizes in one pack)	208 x 173 x 50 173 x 173 x 50	Graphite, Sandstone, Silver	YES	13.86	0.99	30.3	210 210	NO
Sienna 60mm	208 x 173 x 60	Graphite, Sandstone, Silver	YES	12.96	2.16	27.79	360	NO
Sienna Duo 60mm (Both sizes in one pack)	208 x 173 x 60 173 x 173 x 60	Graphite, Sandstone, Silver	YES	12.87	0.99	30.3	195 195	NO
Hydropave Sienna Duo (Both sizes in one pack)	208 x 173 x 60 173 x 173 x 60	Graphite, Sandstone, Silver	YES	12.87	0.99	30	195 195	NO

Sizes: Other sizes available on request Instructions & Warnings: See page 50.





Silver Setts

Silver Circl





Graphite Setts

Graphite Circle





Sandstone Setts

Sandstone Circle

### TOP TIP

Ideal for bordering vintage look products such as Tegula and Retro.




17

Sienna Setts Sandstone

Product	Size (mm)	Colours Available	In stock	m² per pack	m² per slice	No. per m²	No. per pack	Manuf. on pallet
Sienna Setts 50mm	100 x 100 x 50	Graphite, Sandstone, Silver	YES	11.52	0.96	100	1152	LID
Sienna Setts 60mm	Various x 60	Graphite, Sandstone, Silver	YES	12.35	0.95	117	1445	LID
Sienna Circle (Sold as one unit)	60 x 1.5m diameter	Graphite, Sandstone, Silver	YES	-	1.76 per circle	=	169	LID

Sizes: Other sizes available on request Instructions & Warnings: See page 50.

### Artro



Artro 3 Way Grey Mix



Autumn

Carbon

Bracken



Steel





TOP TIP The range of shades makes Artro at home in a modern or

traditional setting.

Heather

Product	Size (mm)	Colours Available	In stock	m²per pack	m² per slice	No. per m²	No. per pack	Manuf. on pallet
Artro	220 x 55 x 80	Platinum, Steel, Carbon, Slate, Autumn, Heather, Bracken	MTO	6.776	0.847	82.64	560	YES

## Pedesta







Bracken



Heather



Brindle



19

Slate



Charcoal



Also available as **Hydropave** 

Hydropave is a permeable paving system that reduces the risk of flooding and pollution. Available in the Pedesta range.

Pedesta Bracken

Product	Size (mm)	Colours Available	In stock	m² per pack	m²per slice	No. per m²	No. per pack	Manuf. on pallet
Pedesta 50mm Void Pack	200 x 100 x 50	Bracken, Brindle, Charcoal, Heather, Slate	YES	13.76	0.96	50	688	NO
Pedesta 60mm	200 x 100 x 60	Bracken, Brindle, Charcoal, Heather	YES	13.44	2.24	50	672	NO

Sizes: Other sizes available on request Instructions & Warnings: See page 50.

Sizes: Other sizes available on request Instructions & Warnings: See page 50.

### Retro



Heather



Bracken



TOP TIP

Can be laid straight or in a herringbone style.

Ideal for paths, patios & small paved areas


A. Retro Bracken B. Retro Heather

Product	Size (mm)	Colours Available	In stock	m²per pack	m² per slice	No. per m²	No. per pack	Manuf. on pallet
Retro	190 x 50 x 60	Bracken, Heather	YES	6.5	2 or 4	105.3	684	NO

### Instructions & Warnings: See page 50.

20

### Manhattan





Silver



Graphite



Sandstone

TOP TIP

Linear paving can help create the impression of space in a small outdoor area.

Product	Size (mm)	Colours Available	In stock	m² per pack	m² per slice	No. per m²	No. per pack	Manuf. on pallet
	250 x 122 x 80						40	
	300 x 122 x 80						40	
	300 x 164 x 80						20	
Manhattan (All sizes in one pack)	400 x 122 x 80	Graphite, Sandstone, Silver	YES	9.6	0.96	20.7	40	LID
(/ til 3i2e3 il l'olle paoit)	400 x 164 x 80						20	
	500 x 122 x 80						20	
	500 x 164 x 80						20	

Important Information: Manhattan 80mm product is specifically designed for pedestrian use only. It should not be trafficked by vehicles.

Sizes: Other sizes available on request Instructions & Warnings: See page 50.

### **Patios**

# Because the outdoors is for living



**Braemar Flags**Appeal of natural stone.
See page 24.



**Historic Flags & Circles**Contoured stone effect.
See page 26.



**Textured Flags**Stylish granular surface.
See page 29.



Anglesey Flags
Diamond ground
smooth paving.
See page 31.



**Standard Flags**Simple and stylish.
See page 33.



**Mayfair Flags**Sparkling granite aggregates.
See page 25.




**Beaufort Flags**Natural textured appeal.
See page 28.



**Kensington Flags**Marbled effect paving.
See page 30.



**Riven Flags**Rugged riven texture.
See page 32.












# Braemar Flags



### TOP TIP

Readily available with much shorter lead times than natural stone.





Jura Grey



Cara Slate

Braemar is a versatile paving range combining the aesthetics of natural granite with the benefits of modern paving.

Product	Size (mm)	Edge	Colours Available	In stock	m²per pack	No. per m²	No. per pack	Manuf. on pallet
Braemar Ground & Braemar Ground Textured 50mm	600 x 400 x 50	Chamfered	Alto Silver, Jura Grey, Cara Slate	YES	4.8	4.16	20	589
rextured Somm	450 x 450 x 50	Chamfered	Alto Silver, Jura Grey, Cara Slate	YES	4.05	4.94	20	474
	400 x 400 x 50	Chamfered	Alto Silver, Jura Grey, Cara Slate	YES	3.2	6.25	20	NO

 $\textbf{Sizes:} \ \textbf{Other sizes available on request } \textbf{Instructions \& Warnings:} \ \textbf{See page 50}.$ 

# Mayfair Flags



Graphite

TOP TIP

natural granite.

The unique granite surface

layer replicates the look of



Sandstone



EasyClean paving is integrated with stain resistant technology in the surface of the paving. EasyClean paving resists staining from infiltrating the paving surface so spills can simply be wiped away.

25



Mayfair Flags Silver

Product	Size (mm)	Finish	Edge	Colours available	In stock	No. per m²	No. per pack	No. per pallet	Manuf. on pallet
	400 x 400 x 40	Granite Textured	Chamfered	Graphite, Sandstone, Silver	YES	6.25	25	100	NO
Mayfair Flags	600 x 600 x 50	Granite Textured	Chamfered	Graphite, Sandstone, Silver	YES	2.78	20	20	NO
	600 x 400 x 50	Granite Textured	Chamfered	Graphite, Sandstone, Silver	YES	4.16	20	40	NO
	400 x 400 x 40	Granite Textured/Coated	Chamfered	Graphite, Sandstone, Silver	YES	6.25	25	100	NO
EasyClean Mayfair Flags	600 x 400 x 50	Granite Textured/Coated	Chamfered	Silver	YES	4.16	20	40	NO
	450 x 450 x 35	Granite Textured/Coated	Chamfered	Graphite, Sandstone, Silver	YES	4.94	30	120	NO
Edge Step	400 x 400 x 40	Granite Textured (top & 1 edge)	Chamfered	Graphite, Sandstone, Silver	YES	6.25	25	100	403
Corner Step	400 x 400 x 40	Granite Textured (top & 2 edge)	Chamfered	Graphite, Sandstone, Silver	YES	6.25	25	100	403
Edge Step	600 x 400 x 50	Granite Textured (top & 1 edge)	Chamfered	Graphite, Sandstone, Silver	YES	4.16	20	40	589
Corner Step	600 x 400 x 50	Granite Textured (top & 2 edge)	Chamfered	Graphite, Sandstone, Silver	YES	4.16	20	40	589

 $\textbf{Sizes:} \ \textbf{Other sizes available on request } \textbf{Instructions \& Warnings:} \ \textbf{See page 50}.$ 

Historic Flags & Circles




A. Historic Flags & Circle Slate, Sienna Setts Silver, Shannon Slate, Country Stone Walling Slate B. Historic Flags Bracken

Product	Size (mm)	Finish	Edge	Colours Available	In stock	m²per pack	No. per pack	No. per pallet	Manuf. on pallet
Historic Flags (All sizes in one pack)	600 x 450 x 50 600 x 300 x 50 450 x 450 x 50 450 x 300 x 50 300 x 300 x 50	Riven	Fettled	Bracken, Harvest Gold, Heather, Slate	YES	14.04 m <sup>2</sup> per pack 1.08 m <sup>2</sup> per slice	13 13 26 13 13	78	YES
<b>Historic Circle</b> (Sold as one unit)	50 x 2.24m diameter	Riven	Fettled	Bracken, Harvest Gold, Heather, Slate	YES	3.94 m² per pack	1 unit	-	YES

Important Information: Historic Flags should be butt jointed as wide joints are not recommended. Please use Rompox or similar material to fill joints in preference to mortar, which can stain the product.

Instructions & Warnings: See page 50.







Bracken Flag

Bracken Circle





Heather Fla

Heather Circle





Harvest Gold Flag

Harvest Gold Circle






Slate Flags

Slate Circle

Soft fettled edges and a riven surface helps give the historic range a sense of vintage style and charm.

# Beaufort Flags



Beaufort Flags Natural & Sienna Setts Graphite & Silver

### TOP TIP

The Beaufort range of soft muted colours helps to create a contemporary organic feel.



Charcoal



Natural



Buff



EasyClean paving is integrated with stain resistant technology in the surface of the paving. EasyClean paving resists staining from infiltrating the paving surface so spills can simply be wiped away.

 Product
 Size (mm)
 Finish
 Edge
 Colours available
 In stock
 No. per m²
 No. per m²
 No. per pack
 No. per pallet
 Maunf. or pallet

 Beaufort Flags
 600 x 400 x 40
 Contoured
 Chamfered
 Buff, Charcoal, Natural
 YES
 4.16
 25
 50
 569

 400 x 400 x 40
 Contoured
 Chamfered
 Buff, Charcoal, Natural
 YES
 6.25
 25
 100
 403

 EasyClean Beaufort Flags
 400 x 400 x 40
 Contoured/Coated
 Chamfered
 Buff, Charcoal, Natural
 YES
 6.25
 25
 100
 403

## Textured Flags



TOP TIP

Textured flags create a natural aged appearance. Create a spectacular effect by pairing the flags with Tegula Setts or Retro.



Charco



Natural



29

Golden

Textured Flags Golden with Retro Heather

Product	Size (mm)	Finish	Edge	Colours Available	In stock	No. per	No. per	No. per	Maunf. on pallet
	400 x 400 x 40	Textured	Chamfered	Charcoal, Natural, Golden	YES	6.25	30	120	NO
Textured Flags	•	Patio Textured	Chamfered	Charcoal, Natural, Golden	YES	2.78	24	24	NO
Edge Step	400 x 400 x 40	Textured (top & 1 edge textured)	Chamfered	Charcoal, Golden, Natural	YES	6.25	25	100	NO
Corner Step	400 x 400 x 40	Textured (top & 2 edges textured)	Chamfered	Charcoal, Golden, Natural	YES	6.25	25	100	NO

Instructions & Warnings: See page 50.

Sizes: Other sizes available on request Instructions & Warnings: See page 50.

# Kensington Flags



Kensington Flags Black/White & Tegula Setts Charcoal

# Product Size (mm) Finish Edge Colours Available In stock No. per m² No. per pack No. per pallet Manuf. on pallet Kensington Flags 400 x 400 x 40 Textured Chamfered Black/White YES 6.25 25 100 NO

TOP TIP

The marbled effect

complement a modern


of Kensington will

style home.

Instructions & Warnings: See page 50.


# Anglesey Flags





Anglesey Flags Buff & Sienna Setts Graphite

200	133	1	100	(acc)
· 東京	6		# ·	
	and the	<b>元</b>		4
	270		33	
The state of				1
100	The same	# 07 J 36	STALL P.	1.09



Buff

### $\operatorname{TOP} \operatorname{TIP}$

A cost effective alternative to natural stone. Anglesey is suitable for both traditional and contemporary settings.

31

Product	Size (mm)	Finish	Edge	Colours Available	In stock	No. per m²	No. per pack	No. per pallet	Manuf. on pallet
Anglesey Flags	450 x 450 x 50	Ground	Chamfered	Buff, Natural	YES	4.94	20	80	470

 $\textbf{Sizes:} \ \textbf{Other sizes available on request } \textbf{Instructions \& Warnings:} \ \textbf{See page 50}.$ 

# Riven Flags



Riven Flags Golden

### TOP TIP

The clean, straight edges of Riven paired with the rustic surface finish makes it a popular choice.



Charcoal



Natural



Golden

# Product Size (mm) Finish Edge Colours Available In stock No. per m² pack No. per pack pallet No. per pack pallet Mo. per pack pallet Riven Flags 400 x 400 x 40 Riven Chamfered Charcoal, Golden, Natural YES 6.25 25 100 NO 600 x 600 x 38 Riven Chamfered Charcoal, Natural YES 2.78 24 24 NO

### Sizes: Other sizes available on request Instructions & Warnings: See page 50.

# Standard Flags



A versatile and economical flag

with a smooth non-slip finish.

TOP TIP

Charcoal



Natural



Golden



Standard Flags Natural & Pedesta Charcoal

Product	Size (mm)	Finish	Edge	Colours Available	In stock	No. per m²	No. per pack	No. per pallet	Manuf. on pallet
	400 x 400 x 40	Non-slip smooth	Chamfered	Charcoal, Natural, Golden	YES	6.25	25	100	NO
Standard Flags	600 x 600 x 40	Non-slip smooth	Chamfered	Charcoal	YES	2.78	24	24	NO

 $\textbf{Sizes:} \ \textbf{Other sizes available on request } \textbf{Instructions \& Warnings:} \ \textbf{See page 50}.$ 

### **Exterior elegance** Creating beautiful homes



Lansdowne

Rustic effect facing brick. See page 36.



**Kingston**Versatile, smooth facing brick.
See page 37.



**Country Stone**Rugged stone effect. See page 38.



**Garden Stone** 

Free-standing double sided wall. See page 39.



Secura Lite

Mortar-free retaining wall. See page 40.









### Lansdowne Tumbled



Lansdowne Heather



Autumn Gold



Burren




Charcoal



Cottage Red



Gold



Heather



Warm Red

### TOP TIP

All of our facing bricks are produced with the finest Iron Oxide colour pigments, producing vibrant shades that retain their colour.

Kingston Cottage Red

# Kingston Smooth









Burren



Charcoal



Cottage Red




old



37

Moorland



Warm Red


Product	Size (mm)	Colours Available	In stock	No. per slice	No. per pack	Manuf. on pallet
Lansdowne	215 x 100 x 65	Autumn Gold, Burren, Charcoal, Cottage Red, Gold, Heather, Warm Red	YES	96	480	NO

 Product
 Size (mm)
 Colours Available
 In stock
 No. per slice
 No. per pack
 Manuf. on pallet

 Kingston
 215 x 100 x 65
 Autumn Gold, Burren, Charcoal, Cottage Red, Gold, Moorland, Warm Red
 YES
 44
 440
 YES

Instructions & Warnings: See page 50.

## Country Stone



Country Stone Slate

ken



Heather

### TOP TIP


The rugged appearance of Country Stone makes it a popular option for garden and landscaping projects as well as housebuilding.

Product	Size (mm)	Colours Available	In stock	m² per pack	m² per slice	No. per pack	Manuf. on pallet
Country Stone Single course mixed length (All sizes in one pack)	375 x 100 x 140 225 x 100 x 140 160 x 100 x 140 240 x 100 x 140 200 x 100 x 140	Bracken, Heather, Slate	YES	6.72	1.34	40 40 40 40 40	YES
Country Stone Coping	208 x 300 x 80	Bracken, Heather Slate	YES	=	-	128	YES

Order Information: Contact your local sales office for further assistance on ordering this product.

Sizes: Other sizes available on request Instructions & Warnings: See page 50.

### Garden Stone



Garden Stone Bracken with Garden Stone Coping Bracken



Bracke



Heather




Slate

### **Building Garden Stone**

Garden Stone is a tapered block and is faced on both sides which makes it ideal for creating curved features, planters or for separating areas within the garden. Garden Stone is an ideal DIY walling product which is mortar free and therefore can be installed quickly with unskilled labour.

- Double sided
- Cost-effective
- Easily installed & ideal for DIY
- Simply glue together



39

Product	Size (mm)	Colours Available	In stock	LM per pack	LM per slice	No. per m²	No. per pack	Manuf. on pallet
Garden Stone	300/260 x 180 x 120	Bracken, Heather, Slate	YES	35.28	5.88	-	126	YES
Garden Stone Corners	230/210 x 180 x 120	Bracken, Heather, Slate	YES	-	-	-	126	YES
Garden Stone Coping	310/255 x 240 x 70	Bracken, Heather, Slate	YES	-	-	3.5 LM	120	YES

Note: Garden Stone can be built to a maximum height of 960mm. Garden Stone is not a retaining wall product. If retention is required please refer to our Secura range.

Instructions & Warnings: See page 50.

### Secura Lite

Secura's weathered face and unique blended colours make it visually attractive, while the innovative combination of three block lengths gives a random stone appearance. For our full range of Secura products visit our website **tobermore.co.uk** 

- Mortar-free
- Cost-effective
- Easily installed
- Ideal for DIY




Bracken



TOP TIP Secura Lite is a mortar-free, dry building product perfect for the DIY enthusiast.


Slate



Product	Size (mm)	Colours Available	In stock	LM per pack	LM per slice	No. per m²	No. per pack	Manuf. on pallet
Secura Lite (All sizes in one pack)	320 x 200 x 80 280 x 200 x 80 240 x 200 x 80	Bracken, Heather, Slate	YES	33.6	0.84	44.64	40 40 40	YES
Secura Lite Coping	310/255 x 240 x 70 (tapered coping)	Bracken, Heather, Slate	YES	-	-	3.5 LM	120	YES

 $\textbf{Note:} Secura\ Lite\ can\ be\ built\ to\ a\ maximum\ height\ of\ 960mm. Detailed\ installation\ guidelines\ can\ be\ downloaded\ from\ tobermore.co.uk$ 

Instructions & Warnings: See page 66.



# Finishing Touches Complete the look



**Kerbstone**Tumbled kerb edging.
See page 44.



Kerbsett
Decorative kerb edging.
See page 44.



**Kerb Small**Versatile, small smooth kerb.
See page 45.



**Kerb Large**Versatile, large smooth kerb.
See page 45.



**Tegula Kerb Large**Traditional, aged effect kerbs.
See page 46.



**Country Kerb & Edging** See page 46.



**Kerb Specials** See page 47.



**Step Risers** See page 48.



**Steps & Ramps** See page 48.



Accessories See page 49.









### Kerbstone



Kerbstone Charcoal & Historic Flag Slate

Product	Size (mm)	Colours Available	In stock	No. per slice	No. per pack	Manuf. on pallet
Kerbstone	190 x 160 x 100	Bracken, Cedar, Charcoal, Heather, Natural	YES	35	210	NO
	104 x 173 x 80	Bracken, Charcoal, Heather, Natural	YFS	72	504	NO

### Kerbsett



Heather





Bracken

Charcoal

Bracken

Drindla

TOP TIP

Kerbsett is an effective alternative to traditional edging. It can be laid to suit curves and corners for driveways, paths and flowerbeds.

Kerbsett Charcoal & Sienna Silver

Product	Size (mm)	Colours Available	In stock	LM per pack	LM per slice	No. per pack	Manuf. on pallet
Kerbsett	190 x 160 x 100	Bracken, Brindle, Charcoal, Heather	YES	24	4	240	NO

Instructions & Warnings: See page 50.

### Kerb Small (KS)



Kerb Small Heather & Pedesta Charcoal

Product	Size (mm)	Colours Available	In stock	LM per pack	LM per slice	No. per pack	Manuf. on pallet
Kerb Small (KS)	125 x 127 x 100	Bracken, Brindle, Charcoal, Heather	YES	43.2	5.4	432	NO

# Kerb Large (KL)









Bracken



DITIO

Kerb Large Charcoal & Shannon Heather

Product	Size (mm)	Colours Available	In stock	LM per pack	LM per slice	No. per pack	Manuf. on pallet
Kerb Large (KL)	200 x 127 x 100	Bracken, Brindle, Charcoal, Heather	YES	28.8	4.8	288	NO

Instructions & Warnings: See page 50.

### Tegula Kerb Large (TKL)







Heather





Charcoal





Bracken



Slate

Tegula Kerb Large Bracken with Tegula Setts Golden

Product	Size (mm)	Colours Available	In stock	No. per slice	No. per pack	Manuf. on pallet
Tegula Kerb Large (TKL)	200 x 127 x 100	Bracken, Brindle, Cedar, Charcoal, Heather, Natural, Slate	YES	48	288	NO

### Kerbs & Edging





Garden Edge (flat top) Half Battered Kerb

Country Kerb & Edge Granite Aggregate & Tegula Slate

Product	Size (mm)	Colours Available	In stock	No. per pack	Manuf. on pallet
Country Kerb	255 x 125 x 915	Granite Aggregate, Standard Aggregate	YES	18	NO
Country Edge	150 x 75 x 900	Granite Aggregate	YES	60	YES
Garden Edge (flat top)	150 x 75 x 900	Natural	YES	60	YES
Half Battered Kerb	200 x 100 x 915	Natural	YES	22	NO
	255 x 125 x 915	Natural	YES	18	NO

Country Kerb

Instructions & Warnings: See page 50.

### Kerb Specials

In addition to their standard design, our beautiful Kerbsett, Kerb Large (KL) and Tegula Kerb Large (TKL) products are manufactured in various shapes and styles, referred to as 'Specials'. Kerb Specials each have a unique design, created to meet your specific needs. Kerb Specials also provide the opportunity to incorporate kerbing for different uses around the home.







**Kerbsett Specials** 





Right Angle Corner



Right Angle Corner

External Low (Type EC/L)

Low (Type ER/L) High (Type ER/H)



Internal Low

(Type IC/L)

(external radius less than 1m) High Position to Low (Type H-L)



45° Internal Corne Low (Type I45/L) High (Type I45/H)

(Type L-7) High Position to Half Batter (Type H-7)



(Type L-E)

### Kerb Large (KL) Specials













Flat 90° Angle



Bullnosed 90° Angle



### Tegula Kerb Large (TKL) Specials











Flat 90° Angle





47

 $\textbf{Note:} \ \mathsf{The} \ \mathsf{colour} \ \mathsf{of} \ \mathsf{Kerb} \ \mathsf{Specials} \ \mathsf{may} \ \mathsf{slightly} \ \mathsf{vary} \ \mathsf{to} \ \mathsf{the} \ \mathsf{normal} \ \mathsf{Kerbs}.$ 

### Step Risers







Bracken

Charcoal





Step Risers Charcoal & Tegula Setts Heather

Product	Size (mm)	Colours Available	In stock	LM per slice	No. per pack	Weight (kg) per pack
	160 x 190 x 100	Bracken, Charcoal, Heather, Natural	YES	40	240	1659

Bracken, Charcoal, Heather, Natural

## Steps & Ramps

173 x 104 x 80

There are no limits to what is achievable when it comes to designing and constructing steps. The renowned versatility of Tobermore products gives you the ability to design and create steps in a wide range of sizes, shapes and colours. You can select various texture and colour combinations to create steps as an attractive feature to any doorway, garden or patio.



Kerbstone Charcoal and Tegula Setts Natural

Mayfair Step Flags Sandstone

### Accessories

Tobermore offer a range of additional landscaping products to complement your driveway or patio project. These products include; jointing sand, maintenance products, recess covers, landscape lighting and decorative stone.

### **Decorative Stones**




Scottish Pebbles

Hazel Pebbles



Silver Granite Pebbles







New Forest Flint

### We also stock

Fine dry jointing sand	For paving brick & coloured flags - covers approx 5-7m <sup>2</sup>			
Silver granite sand	For use with granite paving & flags - covers approx 5-7m <sup>2</sup>			
Rompox Easyfix	Paving fixing mortar			
Rompox D1	Paving fixing mortar - 2 part mix			
Picseal	Sealer for paving & flags - covers 3m <sup>2</sup> per litre			
Anti-moss Paving Cleaner	Moss remover - covers approx 35-50m <sup>2</sup>			
Recess Covers (Domestic use only)	300 x 300 450 x 450 600 x 450 600 x 600			



### Instructions & Warnings

#### **CORE TERMS (PAVING & WALLING)**

#### Product

All products should be carefully inspected for defects or damage upon delivery and prior to being laid or fitted.

#### **Product Information**

Within Tobermore, design and development of products is a continuing process, and product information is subject to change without notice. Accordingly, please check with Tobermore to ensure that the product information you have represents the most up-to-date product information.

#### Installatio

All products should be installed in accordance with the latest British Standard.

#### Colou

Tobermore produces paving and walling products with excellent density and durability, however, as with all concrete products, slight colour variations are inevitable. Although every effort is made to ensure consistency of product colour, variations can occur. In particular, single colours such as Golden, Buff, Natural, Charcoal and Red will have variations. Tobermore therefore recommends that products are thoroughly mixed on site by drawing from a minimum of four pallets. We would always recommend that when purchasing products, especially in larger quantities, that they are all ordered and manufactured in one batch to reduce the chances of getting colour variation. Please note that the colour of new products will inevitably vary compared to those which have been installed for a period of time as weathering does take place. All colour illustrations in Tobermore's brochures are as accurate as the printing process will allow. For a more accurate colour match please refer to actual product samples, which can be provided.

#### Efflorescence

Efflorescence is a white crystalline deposit that occurs naturally on the surface of concrete materials. Tobermore use market leading technology to significantly suppress the occurrence of efflorescence, however, if it occurs, it may mask the colour of the product for a period of time, but tends to be washed away gradually by rain. Tobermore do not replace products with efflorescence. Packs of products which have had packaging removed should always be re-covered with appropriate packaging to prevent the occurrence of secondary efflorescence.

### Surface Scratches

Minor scuffs or bruises may occur during delivery, movement onsite, and installation (for example, during any plate vibrating process). In Tobermore's experience, these marks usually weather off through time. (EasyClean products are protected with a glue dot).

### Ordering

To avoid waste, please ensure that your contractor accurately measures the area on site before ordering products. In Tobermore's experience, dimensions taken from a project plan can vary significantly from the final layout.

### Manufacturing & Quality Systems

Tobermore is a BS EN ISO 9001, BS EN ISO 14001 and BES 6001 registered company. Tobermore uses an integrated management system to manage all health & safety and environmental issues.

### Product Maintenance

Routine cleaning and maintenance is required to keep the overall appearance of products in pristine condition.

### Laying multi-blend coloured paving blocks, flags and walling products

To achieve an even blend of colour when laying multi-blend paving blocks, flags and walling products, it is desirable to mix from three or four different pallets.

### **Queries & Complaints**

Please contact one of Tobermore's Paving & Walling Centres or offices (contact details at www.tobermore.co.uk) with any queries or complaints. Any complaints must be notified to Tobermore without delay.

### CORE TERMS (PAVING ONLY)

### **Product Maintenance**

Light coloured paving blocks and flags emphasise tyre marks and oil spills on the driveway. Please note that these products will need more maintenance if overall appearance is to be maintained.

### Initial Cleaning

When an area has just been paved, allow it to settle for a few days. After this, you may wish to lightly hose down the paving to remove any excess sand or dirt. The area should then be treated with a weed killer suppressant two – three times per vear as required.

#### General Cleaning

Paving requires regular maintenance, including regular sweeping to prevent the build up of detritus. Tobermore recommends that paving is cleaned two – three times per year. For general cleaning of dirt and algae, vigorous brushing with a stiff yard brush with plenty of hot detergent solution (washing up liquid or non-bio washing powder), thoroughly rinsed with clean water, should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/ near permanent shade. A light power hose at medium pressure is generally all that is required to clean general dirt and grime. Any jointing material which is removed must be replaced. Do not use high pressure powerwashers as aggressive powerwashing can damage the product surface. A trial area should be tested before large scale powerwashing takes place. (Important: EasyClean products should not be pressure washed. Please refer to specific EasyClean information).

#### Moss, Lichen and Algae

Thick growths of moss or lichen must be removed first by scraping out the joints and then treating the area with a moss killer such as anti-moss paving cleaner. Anti-moss is designed to remove moss, lichens and algae. It is best applied in dry weather. After being applied it will take a few days to be fully effective. Once the moss and lichens have been killed, they can easily be brushed off. Anti-moss also leaves a residue in the sand joint which will help reduce the likelihood of regrowth. The manufacturer's instructions should always be followed when using any cleaning agent.

#### Weeds

Large weeds should be removed by hand and then the area treated with a weed killer (available from any good garden centre). Smaller weeds can then be treated directly with weed killer and these weeds should start to die within days. The manufacturer's instructions should always be followed when using any weed killing agent.

#### Block Paving Seale

It is possible to seal block paving with a resin material which combats staining and weed growth and which also enhances colour and appearance. The acrylic sealer is sprayed onto the block paving and forms a 'skin' on top of the paving and the jointing material giving an easily maintained finish. The manufacturer's instructions should always be followed when using any sealing agent. (Important: Do not use sealers on EasyClean products)

### FOR HYDROPAVE PRODUCTS

### Installation Hydropave

Tobermore recommends that its Hydropave products be installed in conjunction with a BS EN 7533-13:2009 designed permeable paving system. Note: A permeable paving design relies heavily on using the correct aggregates. Prior to installation, we would ask you to test both the 4/20mm coarse graded aggregate and also the 6.3-2mm bedding and jointing grit as per the relevant British Standard specification (BS EN 13242:2002). In particular, the material should be categorised as LA20 according to Table 9, SZ18 according to Table 10 and MDE15 according to Table 11 within this standard. The grit should be insoluble in dilute hydrochloric acid and should be naturally occurring material. In our experience, incorrect use of aggregates is one of the most common reasons for failure of a permeable paving system.

### Joint Filling

All joints must be filled to the top with 6.3 – 2mm grit to prevent movement and spalling of the blocks. We recommend that after a few weeks use, any joints which have settled and are not full, are topped up with grit. Joints should be kept filled at all times. You will need approximately one tonne of grit for every 100m2 of 80mm paving. Note: Care should be taken that the permeable joints do not become contaminated as work on the scheme is completed. Special care needs to be taken when soft landscaping is carried out so that soil does not enter the joints. When this type of work is being carried out, the surface of the permeable paving should be protected by an appropriate cover to protect the joints from being contaminated.

### **Hydropave Maintenance**

Please refer to Tobermore's detailed 'Permeable Paving Maintenance Guidelines' available on our website: www.tobermore.co.uk

### FOR EASYCLEAN PRODUCTS

### Handling & Installation

During installation, the surface should be protected at all times from scratching and abrasion. Once the protective glue dot has been removed do not stack flags directly on top of each other. Use a plate vibrator with a rubber mat. Do not scratch the surface with tools. (Spade, trowel etc.)

### Jser advice

Do not drag garden furniture across the surface of the flags. Do not pressure wash. Do not use chemical cleaning products (e.g. solvents/acids).

### FOR FACING BRICK/ENGINEERING QUALITY BRICKS & COUNTRY STONE PRODUCTS

#### Important Note

Where the circumstances allow, it is beneficial to complete one building / structure using bricks taken from one batch and mixed on site from a minimum of 3 packs to avoid colour banding / shading, if the circumstances do not allow for this then it is important to minimise the possibility of banding / shading by always mixing bricks from 3 packs concurrently with some overlap between deliveries. Where the site conditions allow, it will also be beneficial to take receipt of as many bricks as possible at an early stage to maximise colour consistency throughout the site.

### Installation - Facing Bricks/Engineering Quality Bricks

Please refer to Tobermore's detailed 'Guide to the use of Tobermore Concrete Bricks' available on our website: www.tobermore.co.uk

Installation - Country Stone Tobermore's Country Stone products are designed to recreate traditional stone sizes and to co-ordinate with standard cavity wall construction. When used in housing projects, a clear cavity must be retained. All work must be protected during construction and must be designed and built in accordance with accepted industry standards and practice. Builders familiar with conventional brickwork will find that similar installation principles apply. Joints can be finished flush or tooled depending on the overall effect required. Raked joints are not recommended. It is vital that all horizontal and vertical joints between Country Stone blocks must be compacted and free from voids. Shell bedding should not be used.

### **Good Practice during Construction**

### Facing Bricks/Engineering Quality Bricks & Country Stone

- If mortar dry's on the surface of the bricks it will stain the product and may not be removed.
- Mortar extruding from joints should be removed when the mortar is wet and during the process of laying.
   Any mortar smears on the brick surface should be removed by dry or wet
- brushing.

  Scaffolding should be installed as per regulatory instructions. Please note that
- Scandiding should be installed as per regulatory instructions, release hole that mortar can drop and hit the scaffolding and then also go onto the wall. You should inspect the work area at all times to ensure the brick surface remains mortar free.
- When it rains be careful that any wet mortar on the scaffolding does not get 'splashed' onto the wall.
- When work stops or is interrupted by inclement weather conditions, brickwork should be protected immediately with polythene sheeting that is held in place with a suitable fixing. If new brickwork is not protected efflorescence, patchy mortar colour, patchy brickwork and staining can occur.
- Bricks should always be covered with polythene sheets to avoid getting damp or dirty when not being used.

### General Cleaning Advice

### Facing Bricks/Engineering Quality Bricks & Country Stone

- It is always important to keep bricks as clean as possible while laying and tooling.
   See Good Practice above.
- If mortar has been allowed to dry on the surface of the bricks the options you have
  to clean it off are as follows; Each process should be tested first and should ensure
  the facing bricks are not damaged -a. Dry brushing b. Wet brushing c. Using a 'like
  coloured' brick to rub the stained brick d. Pressure washing should only be used
  as a last resort as it will damage the surface and the mortar joint if not completed
  correctly (this method cannot be attempted until the area has been allowed to set
  for a minimum of 7 days).
- Acid cleaning should be avoided.

### **Movement Joints and Mortar Guidance -**

### Facing Bricks/Engineering Quality Bricks & Country Stone

- 1. NHBC recommends that walls constructed of concrete facing bricks should have vertical movement joints included every 6m to allow for drying/shrinkage, see PD6697:2010 section 6.2.6.3.4, maximum ratio for brickwork panels is to be 3:1 length: height. PD6697:2010 section 6.2.6.4 gives advice on joint positions, the benefit of brickwork reinforcement at window openings is covered in section 6.2.6.7 of the same document. Movement joints should be planned prior to commencing any construction to enable them to be concealed behind down pipes etc. and ensure the aesthetic of the building is maintained.
- 2. It is important to ensure that the mortar specified for the construction is suitable for the contract, see table 15 of PD6697:2010 - class M4 is the maximum recommended for normal external facing brick walls. This should not be exceeded when using Tobermore Concrete facing bricks.
- We would recommend that you discuss this guidance with all parties involved in the design, construction and installation of this scheme. We also recommend that you refer to BS EN 1996-1-1 and PD6697:2010.
- Specific professional advice should be obtained at all times before commencing building work.

### Important Guidance Information: Tobermore Concrete Facing & Engineering Quality Bricks

- Professional advice, specific to the project, should be sought before commencement of the building work.
- Tobermore Facing Bricks and Engineering Quality Concrete Bricks have different properties. These properties will also be different to clay bricks especially in relation to moisture movement. Please refer to 'Guide to the Use of Tobermore Concrete Facing Bricks', which is available on request or at www.tobermore.co.uk
- 3. Tobermore recommends that vertical movement joints be spaced at no more than 6m apart. Panels of brickwork where the length: height ratio exceeds 3 are particularly vulnerable to cracking; if they cannot be avoided they should include movement joints at closer centres.
- 4. Movement joints should be planned prior to any construction so that they can be concealed behind drainpipes etc. Further guidance on moisture movement is available in the 'Guide to the Use of Tobermore Concrete Facing Bricks' and BSI documents BS EN 1996 (Eurocode 6) and PD 6697 (Recommendations for Design).
- 5. It is important to ensure that the mortar specified is suitable for the construction, see Table 15 of PD 6697. Mortar of strength class M4 will generally be suitable except where engineering quality brickwork is required. Please refer to 'Guide to the use of Tobermore concrete facing bricks', which is available on request.
- 6. When building with dissimilar materials allowances should be made for differential movement. Design guidance from a structural engineer should be sought when combining dissimilar materials such as clay and concrete facing and Engineering Quality bricks. Examples of using dissimilar materials would be where a clay brick is used to build up to the dpc level and then Tobermore concrete facing bricks are used above the dpc. Another example would be where Tobermore Engineering Quality concrete bricks are used below dpc level and then clay facing bricks above the dpc. In some circumstances the dpc acts as a slip plane to separate the two materials which helps to dissipate tensile stress. However expert guidance should always be sought as to ensure structural stability as further slip planes or bed reinforcement may need to be incorporated into the design
- 7. It is recommended that this guidance is discussed with all persons involved in the design and construction of the building work.

### FOR SECURA PRODUCTS

### Installation - Secur

All Secura products should be installed in accordance with British Standard BS8002. When constructing a retaining wall, ensure that you follow the design provided by the scheme engineer.

### **Tobermore**

2 Lisnamuck Road, Tobermore, County L'derry, BT45 5QF

Tel: 028 7964 2411

### **Dublin**

Blakescross, Lusk, Dublin, County Dublin, K45 A268

Tel: 01 8437440

### Bangor

The Dickson Home & Garden Complex, 79 Cootehall Road, Bangor, County Down, BT19 1UP

Tel: 028 9185 2545

### Cork

Mill Road, Irishtown Cross, Bandon, County Cork, P72 EY47

Tel: 023 8843046

tobermore.co.uk tobermore.ie

