

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name ARC INTEGRAL WATERPROOFER

Pure substance/mixture Mixture

Other means of identification UFI: QGNN-W812-M10Q-8G45

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work

Uses advised against None known

### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Arc Building Products
IDA Business & Technology Park
Ballynattin, Arklow, Co. Wicklow,
Ireland. Y14A370

Tel: +353 (0)402 32370

Email: sales@arcbuildingproducts.ie

### 1.4. Emergency telephone number

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

**United Kingdom** +44 (1785) 272650

Europe 112

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)

### 2.2. Label elements



### Signal word

Warning

**Hazard statements** 

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

H315 - Causes skin irritation

H319 - Causes serious eye irritation

### Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

## 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No.	CAS No.	Classification	Specific	M-Factor	M-Factor	REACH
			according to	concentration limit		(long-ter	registration
			Regulation (EC) No.	(SCL)		m)	number
			1272/2008 [CLP]				
Potassium silicate	215-199-1	1312-76-1	STOT SE 3 (H335)	-	-	-	01-2119456888-
1 - <2.5 %			Skin Corr. 1B (H314)				17-XXXX
			Met. Corr. 1 (H290)				
0.11. 1 11. 11	045 007 4	4044.00.0	0707.05.0 (1005)				04.0440440705
Silicic acid, sodium salt	215-687-4	1344-09-8	STOT SE 3 (H335)	-	-	-	01-2119448725-
1 - <2.5 %			Skin Irrit. 2 (H315)				31-XXXX
			Eye Irrit. 2 (H319)				
Potassium hydroxide	215-181-3	1310-58-3	Acute Tox. 4 (H302)	Eye Irrit. 2 ::	-	-	01-2119487136-
0.1- <1 %			Skin Corr. 1A (H314)	0.5%<=C<2%			33-XXXX
				Skin Corr. 1A ::			
				C>=5%			
				Skin Corr. 1B ::			
				2%<=C<5%			
				Skin Irrit. 2 ::			
Total and division EDTA	200 572 0	04.00.0	A	0.5%<=C<2%			04 0440400700
Tetrasodium EDTA 0.1- <1 %	200-573-9	64-02-8	Acute Tox. 4 (H302)	-	-	-	01-2119486762- 27-XXXX
0.1- < 1 %			Eye Dam. 1 (H318)	ļ			21-^^^

Full text of H- and EUH-phrases: see section 16

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

-

components

Chemical name	EC No	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour -	Inhalation LC50 - 4 hour -
					dust/mist - mg/L	vapour - mg/L	gas - ppm
Deteccione ciliante	045 400 4	4040.70.4					
Potassium silicate	215-199-1	1312-76-1	-	-	-	-	-
Silicic acid, sodium salt	215-687-4	1344-09-8	-	-	-	-	-
Potassium hydroxide	215-181-3	1310-58-3	284	-	-	-	-
Tetrasodium EDTA	200-573-9	64-02-8	1658	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur. Immediate

medical attention is not required. Move to fresh air in case of accidental inhalation of

vapours.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists. Wash contaminated clothing before reuse.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a doctor.

**Self-protection of the first aider** Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Thermal decomposition can lead to release of irritating and toxic gases and vapours.

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

chemical

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons. Sulphur oxides. Silicon dioxide.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Personal precautions

Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

> surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological

Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labelled

containers. After cleaning, flush away traces with water. Prevent product from entering

drains. Dam up.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Ensure adequate ventilation. Use personal protection equipment. Use with local exhaust Advice on safe handling

ventilation. Do not breathe dust/fume/gas/mist/vapours/spray.

When using do not eat, drink or smoke. Take off all contaminated clothing and wash it General hygiene considerations

before reuse. Regular cleaning of equipment, work area and clothing is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly **Storage Conditions** 

labelled containers. Keep from freezing.

Recommended storage

temperature

Do not freeze.

### 7.3. Specific end use(s)

Specific use(s)

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

Building and construction work.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	Ireland	United Kingdom
Potassium hydroxide	-	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
1310-58-3		_	_

**Derived No Effect Level (DNEL)** No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Eye protection must conform to standard EN 166. Face

protection shield.

Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the Hand protection

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves

depends on the material and the thickness as well as the temperature.

Skin and body protection Suitable protective clothing.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour Pink

Odour No information available. **Odour threshold** No information available

Values Remarks • Method Property No data available

Melting point / freezing point None known Initial boiling point and boiling No data available

range

**Flammability** Not applicable for liquids . None known None known Flammability Limit in Air

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

Flash point No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

11.6 - 13.6

None known pH (as aqueous solution) No data available

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

No data available Kinematic viscosity

Dynamic viscosity No data available No data available Water solubility

None known No data available None known

None known

Relative density **Bulk Density** No data available

**Liquid Density** 1.03

Relative vapour density No data available None known

**Particle characteristics** 

No information available Particle Size **Particle Size Distribution** No information available

9.2. Other information

**VOC Content (%)** 

Solubility(ies)

**Partition coefficient** 

Vapour pressure

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidising agents. Incompatible materials

10.6. Hazardous decomposition products

None under normal use conditions. Thermal decomposition can lead to release of Hazardous decomposition products

irritating and toxic gases and vapours.

## SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation.

(based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes.

Acute toxicity

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium silicate	=5700 mg/kg (Rattus)	> 5000 mg/kg (Rat)	> 2.06 mg/L (Rat) 4 h
Silicic acid, sodium salt	=3400 mg/kg (Rattus) (OECD 401)	> 4640 mg/kg (Oryctolagus cuniculus)	-
Potassium hydroxide	=284 mg/kg (Rattus)	•	-
Tetrasodium EDTA	=10 g/kg (Rattus) = 1658 mg/kg (Rattus)	-	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

### **Ecotoxicity**

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
Potassium silicate	plants	LC50:	microorganisms	ECE0: -216mg/L		(long-term)
1312-76-1	_		-	EC50: =216mg/L		
1312-76-1		=3185mg/L (96h,		(96h, Daphnia		
		Brachydanio		magna)		
		rerio) LC50: 301				
		- 478mg/L (96h,				
		Lepomis				
		macrochirus)				
Silicic acid, sodium salt	-	LC50 96 h 301	-	EC50: =216mg/L		
1344-09-8		- 478 mg/L		(96h, Daphnia		
		(Lepomis		magna)		
		macrochirus)				
Potassium hydroxide	-	LC50: =80mg/L	-	-		
1310-58-3		(96h, Gambusia				
		affinis)				
Tetrasodium EDTA	EC50 72 h >60	LC50: =41mg/L	-	EC50: =610mg/L		
64-02-8	mg/L	(96h, Lepomis		(24h, Daphnia		
	(Pseudokirchner	macrochirus)		magna)		
	ella subcapitata)	LC50:				
	' '	=59.8mg/L (96h,				
		Pimephales				
		promelas)				

## 12.2. Persistence and degradability

Persistence and degradability Biodegradable.

12.3. Bioaccumulative potential

**Bioaccumulation** 

**Component Information** 

Chemical name	Partition coefficient
Potassium hydroxide	0.83

#### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

12.4. Mobility in soil

**Mobility in soil** After release, adsorbs onto soil.

### 12.5. Results of PBT and vPvB assessment

### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Potassium silicate	The substance is not PBT / vPvB PBT assessment does
	not apply
Silicic acid, sodium salt	The substance is not PBT / vPvB PBT assessment does
	not apply
Potassium hydroxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Tetrasodium EDTA	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards

Not regulated
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special Provisions None

IMDG

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard
Class(es) 14.4 Packing group

Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP

14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

### according to IMO instruments

### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### **Persistent Organic Pollutants**

Not applicable

### National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

### **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

#### Full text of H-Statements referred to under section 3

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

### Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value **BGW** Biological limit value Ceiling Maximum limit value Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

### Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals

Programme Organisation for Economic Co-operation and Development Screening Information Data Set

### **ARC INTEGRAL WATERPROOFER**

Revision date 23-Feb-2023 Revision Number 1.01

Revision date 23-Feb-2023

**Revision note** 

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**